

For technical data sheets and match assistance, visit www.hutchco.co.nz or contact our customer service team cs@hutchco.co.nz

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 6.

Table with 4 columns: S, T, M, R, D and corresponding finish names like Satin / Velvet / Embossed, Timberland / Wilderness, Matte / Matt, Raw Veneer, 3D Veneer, Organic / Puregrain, High Gloss / Gloss, Paintable, Prefinished.

Main product availability table with columns for Category, Edge banding (Brand, Décor Name), and material options (1mm, 1.2mm, 2mm) with various specifications and availability markers.

For technical data sheets and match assistance, visit www.hutchco.co.nz or contact our customer service team cs@hutchco.co.nz

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 6.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■										¹Allow 1-2 day lead for slitting. ²LC = Laser Coated post-coat Prolaser PVC/ABS.									
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)						2mm Unglued or Preglued (mm)						
	Brand	Décor Name	Mat.	22	29	35	45	65	65+¹	Mat.	22	29¹	35¹	45	LC¹²	Mat.	22	29	35	45	65	65+¹
Woodgrains	Melteca	Burnished Wood	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S
Colours	Bestwood	Carbon	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Metallics	Melteca	Carbon Vapour	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	●	S	S	S	S		
Woodgrains	Melteca	Chalet Ash	▶	O	O	O	O	O	O	■	O	O	O	O								
Colours	Prime	Chalk	▶	S												▶	S					
Colours	Melteca	Chalk White	▶	S	S	S	S	S	S	■	S	S	S	S								
Colours	Melteca	Char Blue	▶	S	S																	
Woodgrains	Bestwood	Charred Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S
Woodgrains	Prime	Charred Walnut	▶	T	T	T	T	T	T	▶	T	T	T	T	✓							
Woodgrains	Melteca	Cinnamon Ash	▶	O	O	O	O	O	O	▶	O	O	O	O	✓							
Colours	Bestwood	Cirrus	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Woodgrains	Melteca	Classic Oak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S
Woodgrains	Bestwood	Classic Walnut	▶	T	T	T	T	T	T							▶	S	S	S	S	S	S
Colours	Bestwood	Cloud White	▶	S												▶	S					
Woodgrains	Bestwood	Coastal Elm	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S
Colours	Prime	Concrete	▶	S																		
Woodgrains	Bestwood	Coronet Beech	▶	T	T	T	T									▶	S	S	S	S		
Woodgrains	Melteca	Danish Walnut	▶	O	O	O	O	O	O	■	O	O	O	O								
Woodgrains	Melteca	Dansk Maple														▶	S	S	S	S	S	S
Colours	Bestwood	Dapper Grey														▶	S	S	S	S		
Woodgrains	Melteca	Dark Oak	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	●	S	S	S	S		
Woodgrains	Bestwood	Dark Oak	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	●	S	S	S	S		
Colours	Melteca	Dawn Grey	▶	S																		
Woodgrains	Prime	Devon Oak	▶	T	T	T	T	T	T	■	T	T	T	T								
Colours	Prime	Dezigna White	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Bestwood	Dusky Elm	▶	T	T	T	T	T	T							▶	S	S	S	S	S	S
Patterns	Bestwood	Etched Graphite	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Patterns	Bestwood	Etched Stone	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Patterns	Bestwood	Etched Zinc	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Woodgrains	Bestwood	Fiordland Elm	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S
Colours	Melteca	Fog	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Prime	French Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S
Colours	Prime	Frost Grey	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Prime	Fumed Oak	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S
Colours	Melteca	Green Slate	▶	S	S	S	S	S	S													

For technical data sheets and match assistance, visit www.hutchco.co.nz or contact our customer service team cs@hutchco.co.nz

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 6.

Table with 4 columns: S, T, M, R, D and corresponding finish names like Satin / Velvet / Embossed / Natural / Pearl, Timberland / Wilderness, etc.

Main product availability table with columns for Category, Brand, Décor Name, and material/finish availability for 1mm, 1.2mm, and 2mm thicknesses.

For technical data sheets and match assistance, visit www.hutchco.co.nz or contact our customer service team cs@hutchco.co.nz

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 6.

Table with 4 columns: S, T, M, R, D and corresponding finish names like Satin / Velvet / Embossed / Natural / Pearl, Timberland / Wilderness, etc.

Main product availability table with columns for Category, Edge banding (Brand, Décor Name), and material options (1mm, 1.2mm, 2mm) with various sub-columns for material types and sizes.

3See page 6 for more sizes.

For technical data sheets and match assistance, visit www.hutchco.co.nz or contact our customer service team cs@hutchco.co.nz

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 6.

Table with 4 columns: S, T, M, R, D and corresponding finish names like Satin / Velvet / Embossed, Timberland / Wilderness, Matte / Matt, Raw Veneer, 3D Veneer, Organic / Puregrain, High Gloss / Gloss, Paintable, Prefinished.

Main product availability table with columns for Category, Brand, Décor Name, and material options (1mm, 1.2mm, 2mm) with various specifications and availability markers.

For technical data sheets and match assistance, visit www.hutchco.co.nz or contact our customer service team cs@hutchco.co.nz


Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 6.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Quarter cut, crown cut and other grain patterns can be requested from the White Oak range.			Eucalypts, Oaks, and Ashes (EU/US) may be available in addition to listed species origins						
Category	Veneer Edging Unglued or Pre-glued Width (mm)		¹ Allow 1-2 day lead for slitting. ^{R*} Coming Soon						
	Brand	Species Name	Thick	22	29	35	45	65	85
Natural	Tekton	Am. Maple	2mm	R	R	R	R		
Natural	Tekton	Am. Walnut	2mm	R	R	R	R		
Natural	Tekton	Am. White Ash	2mm	R	R	R	R		
Natural	Tekton	White Oak	2mm	R	R	R	R	R	R
Natural	Tekton	Euro White Oak	1mm	R*			R*		
Natural	Tekton	White Oak	1mm	R	R ¹	R	R	R	
Natural	Tekton	White Oak	0.6mm	R	R	R	R	R	
Prefinished	Tekton	White Oak	0.6mm	PF	PF	PF	PF		
3D	Tekton	White Oak Brushed	1mm	D	D ¹	D ¹	D		
Natural	Tekton	White Oak End Grain	1mm	R*			R*		
Recon	Tekton	Multiplex Birch	2mm	R	R	R	R	R	
Prefinished	Tekton	Multiplex Birch	0.6mm	PF	PF	PF ¹	PF		
Natural	Tekton	Tasmanian Ash	2mm	R	R	R	R		

Surface Embossing Guide		
⁷ Formally known as 'Woodgrain' or 'Timbergrain'.		
Finish	Key	Matching
	N = Satin 02 & 09	Standard, Smooth, Natural or Satin. Prime/Bestwood Velvet, Embossed.
	M = Matte	Acrylic, HPL & LPL matte/soft touch.
	G = Gloss	Acrylic gloss/Hi-gloss & HPL & LPL gloss.
	T / O ⁷ = Timberland Organic	Prime & Bestwood Timberland. Melteca Puregrain / Organic.

Hotmelt Adhesive Granules & Cartridges			Technomelt Dorus *Unfilled hotmelt adhesive. *Transparent			
Category	Brand	Stock Code	White	Natural	Clear ⁵	Black
Cartridge	Henkel	HKP 20 EVA ⁶			✓	
Cartridge	Henkel	HKP 25 EVA	✓	✓		✓
Granules	Henkel	KS 217 EVA	✓	✓		
Granules	Henkel	KS 351 EVA ⁶	✓		✓	
Granules	Henkel	KS 220/01 Low Speed EVA	✓	✓		

Use with all local/imported HPL/LPL or carcass boards.			Material: PVC = ▶ / PP = ■ / Melamine = ◆ Width = mm							
Category	Uni-Colours Universal Thermo Edgings		*Allow 1-2 day lead for slitting. *Supplied as 42mm for papertape.							
	Brand	Name / Size	Mat.	16	19	22	29	35	45	65
Uni-Colours	Proclassic	White 0.8mm	▶			✓				
Uni-Colours	Proclassic	White 1mm	▶	✓ ¹	✓	✓	✓	✓	✓	✓
Uni-Colours	Prolaser	White 1.2mm	■		✓ ¹	✓	✓ ¹	✓ ¹	✓	
Uni-Colours	Proflex	White 2mm	▶	✓	✓	✓	✓	✓	✓	✓
Uni-Colours	Papertape	White Papertape PG	◆			✓			✓ ⁸	
Colours	Proclassic	Black 1mm	▶	✓ ¹	✓ ¹	✓	✓	✓	✓	✓
Colours	Prolaser	Black 1.2mm	■	✓ ¹	✓	✓	✓ ¹	✓ ¹	✓	
Colours	Proflex	Black 2mm	▶	✓	✓ ¹	✓	✓	✓	✓	✓
Uni-Colours	Papertape	Black Papertape PG	◆			✓			✓ ⁸	