

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■													¹Allow 1-2 day lead for slitting. ²LC = Laser Coated post-coat Prolaser PVC/ABS.							
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)						2mm Unglued or Preglued (mm)							
	Brand	Décor Name	Mat.	22	29	35	45	65	65*¹	Mat.	22	29¹	35¹	45	LC¹,²	Mat.	22	29	35	45	65	65*¹	
Woodgrains	Melteca	Affinity Maple																					
Woodgrains	Melteca	Aged Ash	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S	S
Woodgrains	Melteca	Aged Walnut	▶	O	O	O	O	O	O														
Gloss	Ultraglaze	Alabaster Gloss								■	G	G	G	G									
Matte	Ultraglaze	Alabaster Matt	●	M	M	M	M	M	M	■	M	M	M	M									
Woodgrains	Bestwood	Alberta Larch	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Colours	Prime	Anthracite	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Colours	Melteca	Antique Wiluna White	▶	S																			
Gloss	Bestwood	Arctic Ice (Melamine)	▶	G	G¹	G¹	G	G	G	■	G	G	G	G									
Gloss	Ultraglaze	Arctic Ice Gloss								■	G	G	G	G									
Woodgrains	Prime	Arctic White	▶	T	T	T	T	T	T														
Uni-colour	Prime	Arctic White⁴	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Colours	Melteca	Ash White	▶	S						▶													
Woodgrains	Prime	Ashen Walnut	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Colours	Prime	Atmoss	▶	S	S	S	S	S	S														
Colours	Melteca	Baikal	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Woodgrains	Prime	Baroque	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S	S
Woodgrains	Prime	Bavarian Oak	●	T	T	T	T	T	T	●	T	T	T	T	✓								
Colours	Melteca	Bayleaf	▶	S	S	S	S	S	S														
Woodgrains	Bestwood	Best Maple														▶	S	S	S	S	S	S	S
Woodgrains	Bestwood	Best Tawa														▶	S	S	S	S	S	S	S
Woodgrains	Universal	Birch Ply (Ply-look)	▶	S	S	S	S	S	S	▶	S	S	S	S	✓								
Woodgrains	Melteca	Black Birch Ply	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S	S
Woodgrains	Prime	Black Forest Oak	▶	T	T	T	T	T	T		T	T	T	T	✓								
Gloss	Proadec	Black Gloss	●	G	G¹	G¹	G	G	G	●	G	G¹	G¹	G	✓								
Matte	Proadec	Black Matte	●	M	M	M	M	M	M	■	M	M	M	M									
Woodgrains	Melteca	Black Organic	▶	O	O	O	O	O	O	▶	O	O	O	O	✓								
Woodgrains	Bestwood	Black Timberland	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Woodgrains	Prime	Black Timberland	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Woodgrains	Melteca	Blackened Ash	▶	O	O	O	O	O	O	■	O	O	O	O									
Woodgrains	Melteca	Blackened Elm	▶	O	O	O	O	O	O							▶	S	S	S	S			
Woodgrains	Melteca	Blackened Legno	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S	S

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■													¹Allow 1-2 day lead for slitting. ²LC = Laser Coated post-coat Prolaser PVC/ABS.							
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)						2mm Unglued or Preglued (mm)							
	Brand	Décor Name	Mat.	22	29	35	45	65	65*¹	Mat.	22	29¹	35¹	45	LC¹,²	Mat.	22	29	35	45	65	65*¹	
Woodgrains	Prime	Bleached Maple														▶	S	S	S	S	S	S	S
Patterns	Melteca	Bliss Cinder														●	S	S	S	S			
Patterns	Melteca	Bliss Shitake														●	S	S	S	S			
Woodgrains	Melteca	Borders Oak	▶	O	O	O	O	O	O	■	O	O	O	O									
Colours	Bestwood	Brulee	▶	S																			
Metallics	Prime	Brushed Pewter	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	●	S	S	S	S			
Colours	Melteca	Bullet	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Woodgrains	Melteca	Burnished Wood	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S	S
Colours	Bestwood	Carbon	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Metallics	Melteca	Carbon Vapour	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	●	S	S	S	S			
Woodgrains	Melteca	Chalet Ash	▶	O	O	O	O	O	O	■	O	O	O	O									
Colours	Prime	Chalk	▶	S																			
Colours	Melteca	Chalk White	▶	S	S	S	S	S	S	■	S	S	S	S									
Colours	Melteca	Char Blue	▶	S																			
Woodgrains	Bestwood	Charred Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S	S
Woodgrains	Prime	Charred Walnut	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Woodgrains	Prime	Chestnut	●	T	T	T	T	T	T	●	T	T	T	T	✓								
Woodgrains	Melteca	Cinnamon Ash	▶	O	O	O	O	O	O	▶	O	O	O	O	✓								
Colours	Bestwood	Cirrus	▶	S	S	S	S	S	S	▶	S	S	S	S	✓								
Woodgrains	Melteca	Classic Oak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S	S
Woodgrains	Bestwood	Classic Walnut	▶	T	T	T	T	T	T							▶	S	S	S	S	S	S	S
Colours	Bestwood	Cloud White	▶	S																			
Woodgrains	Bestwood	Coastal Elm	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S	S
Colours	Prime	Concrete	▶	S																			
Woodgrains	Bestwood	Coronet Beech	▶	T	T	T	T									▶	S	S	S	S			
Woodgrains	Melteca	Danish Walnut	▶	O	O	O	O	O	O	■	O	O	O	O									
Woodgrains	Melteca	Dansk Maple														▶	S	S	S	S	S	S	S
Colours	Bestwood	Dapper Grey														▶	S	S	S	S			
Woodgrains	Melteca	Dark Oak	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	●	S	S	S	S			
Woodgrains	Bestwood	Dark Oak	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	●	S	S	S	S			
Colours	Melteca	Dawn Grey	▶	S																			
Woodgrains	Prime	Devon Oak	▶	T	T	T	T	T	T	■	T	T	T	T									

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■													¹Allow 1-2 day lead for slitting. ²LC = Laser Coated post-coat Prolaser PVC/ABS.						
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)						2mm Unglued or Preglued (mm)						
	Brand	Décor Name	Mat.	22	29	35	45	65	65*¹	Mat.	22	29¹	35¹	45	LC¹,²	Mat.	22	29	35	45	65	65*¹
Colours	Prime	Dezigna White	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Bestwood	Dusky Elm	▶	T	T	T	T	T	T							▶	S	S	S	S	S	S
Patterns	Bestwood	Etched Graphite	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Patterns	Bestwood	Etched Stone	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Patterns	Bestwood	Etched Zinc	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Woodgrains	Bestwood	Fiordland Elm	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S
Colours	Melteca	Fog	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Prime	French Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S
Colours	Prime	Frost Grey	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Prime	Fumed Oak	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S
Colours	Melteca	Green Slate	▶	S	S	S	S	S	S													
Colours	Prime	Gully Green	●	S	S	S	S	S	S													
Woodgrains	Prime	Hickory Walnut	▶	T	T	T	T	T	T	▶	T	T	T	T	✓							
Patterns	Prime	Honed Silica	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Patterns	Prime	Honed Slate	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Patterns	Prime	Honed Steel	▶	S	S	S	S	S	S	▶	S	S	S	S	✓							
Woodgrains	Bestwood	Honey Ash	▶	T	T	T	T	T	T	▶	T	T	T	T	✓							
Colours	Prime	Illusion	●	S	S	S	S	S	S													
Colours	Bestwood	Indian Ink	▶	S	S	S	S	S	S													
Colours	Prime	Ironsand	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Melteca	Jarrah Legno	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S
Colours	Bestwood	Limestone	▶	S	S	S	S	S	S							▶	S	S	S	S	S	S
Colours	Prime	Linden	●	S	S	S	S	S	S													
Metallics	Prime	Lite Aluminium	▶	S	S	S	S	S	S	●	S	S	S	S	✓	▶	S	S	S	S	S	S
Colours	Melteca	Malibu	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Colours	Melteca	Memphis Blue														▶	S					
Colours	Melteca	Memphis Red														▶	S	S	S	S		
Woodgrains	Bestwood	Methven Oak	▶	T	T	T	T	T	T													
Colours	Melteca	Mist	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Colours	Bestwood	Mist Grey	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Proadec	Multiplex PVC														▶	S	S	S	S	S	S
Metallics	Melteca	New Graphite	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	●	S	S	S	S		

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■														¹Allow 1-2 day lead for slitting. ²LC = Laser Coated post-coat Prolaser PVC/ABS.							
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)							2mm Unglued or Preglued (mm)							
	Brand	Décor Name	Mat.	22	29	35	45	65	65*¹	Mat.	22	29¹	35¹	45	LC¹,²	Mat.	22	29	35	45	65	65*¹		
Woodgrains	Prime	New Oak Noir	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S	S	
Metallics	Bestwood	New Pewter Haze	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	●	S	S	S	S				
Matte	Ultraglaze	Noir Matte	●	M	M	M	M	M	M	■	M	M	M	M										
Woodgrains	Prime	Nordic Ash	▶	T	T	T	T	T	T	▶	T	T	T	T	✓									
Woodgrains	Prime	Nordic Pine	▶	T	T	T	T	T	T	▶	T	T	T	T	✓									
Woodgrains	Prime	Northern Oak	●	T	T	T	T	T	T	●	T	T	T	T	✓									
Woodgrains	Melteca	NZ Tawa														▶	S	S	S	S	S	S	S	
Woodgrains	Melteca	Oiled Legno	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S	S	
Colours	Melteca	Olympia Yellow														▶	S	S	S	S				
Woodgrains	Prime	Original Oak	▶	T	T	T	T	T	T	■	T	T	T	T										
Woodgrains	Melteca	Oyster Linea														●	S	S	S	S				
Woodgrains	Melteca	Parisian Oak	▶	O	O	O	O	O	O	■	O	O	O	O										
Colours	Bestwood	Pavement	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S	
Woodgrains	Bestwood	Perfect Maple														▶	S	S	S	S	S	S	S	
Woodgrains	Bestwood	Perfect Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S	S	
Woodgrains	Bestwood	Perfect Tawa														▶	S	S	S	S	S	S	S	
Colours	Bestwood	Perfect White	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S	
Colours	Bestwood	Pistachio	▶	S	S	S	S	S	S															
Matte	Laminex	Pitch Black	●	M	M	M	M	M	M	■	M	M	M	M										
Woodgrains	Melteca	Planked Urban Oak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S	S	
Colours	Melteca	Possum	▶	S	S	S	S	S	S															
Woodgrains	Prime	Premium Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S	S	
Woodgrains	Prime	Prime Maple														▶	S	S	S	S	S	S	S	
Woodgrains	Prime	Prime Tawa														▶	S	S	S	S	S	S	S	
Propaint	Proadec	Propaint Paintable	▶	P	P	P	P	P	P	●	P	P	P	P										
Colours	Melteca	Provence Blue														▶	S							
Colours	Prime	Qtr Napa	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S	
Woodgrains	Bestwood	Ranfurlly Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	T	T	T	T	T	T	T	
Woodgrains	Melteca	Raw Birch Ply	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	▶	S	S	S	S	S	S	S	
Colours	Melteca	Raw Cotton	▶	S	S	S	S	S	S															
Woodgrains	Melteca	Refined Oak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S	S	
Woodgrains	Melteca	Rural Oak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S	S	

³See page 7 for more sizes.

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■													¹Allow 1-2 day lead for slitting. ²LC = Laser Coated post-coat Prolaser PVC/ABS.						
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)						2mm Unglued or Preglued (mm)						
	Brand	Décor Name	Mat.	22	29	35	45	65	65*¹	Mat.	22	29¹	35¹	45	LC¹,²	Mat.	22	29	35	45	65	65*¹
Uni-Colour	Proadec	Satin Black³	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Uni-Colour	Proadec	Satin White⁴	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Colours	Prime	Sea Fog	▶	S	S	S	S	S	S													
Colours	Melteca	Seal Grey	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Melteca	Seasoned Oak	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S
Woodgrains	Melteca	Shou Sugi	▶	O	O	O	O	O	O	▶	O	O	O	O	✓							
Colours	Bestwood	Shroom	▶	S	S	S	S	S	S													
Metallics	Bestwood	Silver Haze	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	▶	S	S	S	S	S	S
Metallics	Melteca	Silver Strata	●	S	S	S	S	S	S	●	S	S	S	S	✓	●	S	S	S	S		
Metallics	Melteca	Silver Vapour	▶	S	S	S	S	S	S	▶	S	S	S	S	✓	▶	S	S	S	S	S	S
Woodgrains	Melteca	Silvered Ash	▶	O	O	O	O	O	O	▶	O	O	O	O	✓							
Woodgrains	Bestwood	Simply Eucalyptus	▶	T	T	T	T	T	T	▶	T	T	T	T	✓							
Uni-Colour	Bestwood	Simply White⁴	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Woodgrains	Bestwood	Smoked Ash	▶	T	T	T	T	T	T	▶	T	T	T	T	✓							
Woodgrains	Prime	Smoked Eucalyptus	▶	T	T	T	T	T	T													
Woodgrains	Prime	Smokey Oak	▶	T	T	T	T															
Colours	Prime	Snow	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Colours	Melteca	Snowdrift	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Gloss	Melteca	Snowdrift Gloss	▶	G	G¹	G¹	G	G	G	▶	G	G	G	G	✓							
Woodgrains	Melteca	Snowdrift Organic	▶	O	O	O	O	O	O	▶	O	O	O	O	✓							
Woodgrains	Melteca	Snowdrift Puregrain	▶	P	P	P	P	P	P	▶	T	T	T	T	✓							
Colours	Melteca	Snowdrift Satin	▶	S	S	S	S	S	S	■	S	S	S	S								
Woodgrains	Bestwood	Southern Oak	▶	T	T	T	T	T	T	▶	T	T	T	T	✓	▶	S	S	S	S	S	S
Woodgrains	Prime	Sovereign Oak	▶	T	T	T	T	T	T	■	T	T	T	T		▶	S	S	S	S	S	S
Colours	Melteca	Spinifex	▶	S	S	S	S	S	S													
Woodgrains	Melteca	Spring Maple														▶	S	S	S	S	S	S
Colours	Melteca	Storm	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S
Colours	Melteca	Streetlight														▶	S					
Woodgrains	Melteca	Sublime Teak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S
Colours	Bestwood	Subtle Grey														▶	S	S	S	S		
Colours	Melteca	Super White	▶	S	S	S	S	S	S							▶	S	S	S	S	S	S
Woodgrains	Melteca	Supreme Oak	▶	O	O	O	O	O	O	■	O	O	O	O		▶	S	S	S	S	S	S

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Décors, sizes, and finishes shown are available as at the date of publication.			Material: PVC = ▶ / ABS = ● / PP = ■							<sup>1</sup> Allow 1-2 day lead for slitting. <sup>2</sup> LC = Laser Coated post-coat Prolaser PVC/ABS.													
Category	Edge banding listed by market name. Crossovers may apply.		1mm Unglued or Preglued (mm)							1.2mm Prolaser (mm)							2mm Unglued or Preglued (mm)						
	Brand	Décor Name	Mat.	22	29	35	45	65	65* <sup>1</sup>	Mat.	22	29 <sup>1</sup>	35 <sup>1</sup>	45	LC <sup>1,2</sup>	Mat.	22	29	35	45	65	65* <sup>1</sup>	
Woodgrains	Prime	Tahoe Walnut	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Woodgrains	Bestwood	Tasman Elm	▶	T	T	T	T	T	T							▶	S	S	S	S			
Colours	Prime	Transformer	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Woodgrains	Bestwood	Treble Beech	▶	T	T	T	T									▶	S	S	S	S			
Colours	Prime	Triple Duck Egg	▶	S	S	S	S	S	S														
Woodgrains	Prime	Tuscan Oak	●	T	T	T	T	T	T	●	T	T	T	T	✓								
Colours	Prime	Tusk	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Woodgrains	Melteca	Urban Ash	▶	O	O	O	O	O	O	■	O	O	O	O									
Woodgrains	Bestwood	Vintage Ash	▶	T	T	T	T	T	T	■	T	T	T	T									
Woodgrains	Melteca	Vintage Walnut	▶	O	O	O	O	O	O	▶	O	O	O	O	✓								
Colours	Melteca	Warm White	▶	S	S	S	S	S	S	■	S	S	S	S		▶	S	S	S	S	S	S	S
Gloss	Melteca	Warm White Gloss	▶	G	G <sup>1</sup>	G <sup>1</sup>	G	G	G	▶	G	G <sup>1</sup>	G <sup>1</sup>	G	✓								
Woodgrains	Bestwood	Washed Maple														▶	S	S	S	S	S	S	S
Woodgrains	Bestwood	Washed Oak	▶	T	T	T	T	T	T	▶	T	T	T	T	✓								
Woodgrains	Melteca	Washed Timber	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S	S
Gloss	Prime	<b>White Gloss (Melamine)</b>	▶	G	G <sup>1</sup>	G <sup>1</sup>	G	G	G	▶	G	G <sup>1</sup>	G <sup>1</sup>	G	✓								
Matte	Laminex	White Linen Matte	●	M	M	M	M	M	M	●	M	M	M	M	✓								
Woodgrains	Melteca	White Painted Wood	▶	O	O	O	O	O	O	▶	O	O	O	O	✓								
Woodgrains	Melteca	Whitewashed Oak	▶	O	O	O	O	O	O	▶	O	O	O	O	✓	▶	S	S	S	S	S	S	S
Colours	Melteca	Winter Sky	▶	S	S	S	S	S	S														

For technical data sheets and match assistance, visit [www.hutchco.co.nz](http://www.hutchco.co.nz) or contact our customer service team [cs@hutchco.co.nz](mailto:cs@hutchco.co.nz)

Minimum order quantities apply (MoQ) of 10LM, in increments of 5LM thereafter

Projumbo décors are 65mm+ and available in custom widths from 9mm to 275mm by request. (Minimums & lead times apply).

Hotmelt, Veneer Edging & Universal White on page 7.

Finish Guide			
S	Satin / Velvet / Embossed / Natural / Pearl		
T	Timberland / Wilderness	O	Organic / Puregrain
M	Matte / Matt	G	High Gloss / Gloss
R	Raw Veneer	P	Paintable
D	3D Veneer	PF	Prefinished

Quarter cut, crown cut and other grain patterns can be requested from the White Oak range.			Allow 1-2 day lead for slitting.							
Category	Veneer Edging Unglued or Pre-glued Width (mm)		Thick	22	29	35	45	65	85	
	Brand	Species Name								
Natural	Tekton	Am. Maple	2mm	R	R	R	R			
Natural	Tekton	Am. Walnut	2mm	R	R	R	R			
Natural	Tekton	Am. White Ash	2mm	R	R	R	R			
Natural	Tekton	AM. White Oak	2mm	R	R	R	R	R	R	
Natural	Tekton	Euro White Oak	1mm	R			R			
Natural	Tekton	AM. White Oak	1mm	R	R <sup>1</sup>	R	R	R		
Natural	Tekton	White Oak	0.6mm	R	R	R	R	R		
Prefinished	Tekton	White Oak	0.6mm	PF	PF	PF	PF			
3D	Tekton	White Oak Brushed	1mm	D	D <sup>1</sup>	D <sup>1</sup>	D			
Natural	Tekton	White Oak End Grain	1mm	R			R			
Recon	Tekton	Multiplex Birch	2mm	R	R	R	R	R		
Prefinished	Tekton	Multiplex Birch	0.6mm	PF	PF	PF <sup>1</sup>	PF			
Natural	Tekton	Tasmanian Ash	2mm	R	R	R	R			
Natural	Tekton	Tawa / Anigre	2mm	R	R	R	R			

Surface Embossing Guide		
<sup>7</sup> Formally known as 'Woodgrain' or 'Timbergrain'.		
Finish	Key	Matching
	N = Satin 02 & 09	Standard, Smooth, Natural or Satin. Prime/Bestwood Velvet, Embossed.
	M = Matte	Acrylic, HPL & LPL matte/ soft touch.
	G = Gloss	Acrylic gloss/Hi-gloss & HPL & LPL gloss.
	T / O <sup>7</sup> = Timberland Organic	Prime & Bestwood Timberland. Melteca Puregrain / Organic.

Category	Hotmelt Adhesive Granules & Cartridges		Technomelt Dorus <sup>4</sup> Unfilled hotmelt adhesive. <sup>5</sup> Transparent ✓* Coming Soon			
	Brand	Stock Code	White	Natural	Clear <sup>5</sup>	Black
Cartridge	Henkel	HKP 20 EVA <sup>6</sup>			✓	
Cartridge	Henkel	HKP 25 EVA	✓	✓		✓
Granules	Henkel	KS 217 EVA	✓	✓		✓*
Granules	Henkel	KS 351 EVA <sup>6</sup>	✓		✓	
Granules	Henkel	KS 220/01 Low Speed EVA	✓	✓		

Use with all local/imported HPL/LPL or carcass boards.			Material: PVC = ▶ / PP = ■ / Melamine = ◆ Width = mm							
Category	Uni-Colours Universal Thermo Edgings		Mat.	16	19	22	29	35	45	65
	Brand	Name / Size								
Uni-Colours	Proclassic	White 0.8mm	▶			✓				
Uni-Colours	Proclassic	White 1mm	▶	✓ <sup>1</sup>	✓	✓	✓	✓	✓	✓
Uni-Colours	Prolaser	White 1.2mm	■		✓ <sup>1</sup>	✓	✓ <sup>1</sup>	✓ <sup>1</sup>	✓	
Uni-Colours	Proflex	White 2mm	▶	✓ <sup>1</sup>	✓	✓	✓	✓	✓	✓
Uni-Colours	Papertape	White Papertape PG	◆			✓			✓ <sup>8</sup>	
Colours	Proclassic	Black 1mm	▶	✓ <sup>1</sup>	✓ <sup>1</sup>	✓	✓	✓	✓	✓
Colours	Prolaser	Black 1.2mm	■	✓ <sup>1</sup>	✓	✓	✓ <sup>1</sup>	✓ <sup>1</sup>	✓	
Colours	Proflex	Black 2mm	▶	✓	✓ <sup>1</sup>	✓	✓	✓	✓	✓
Uni-Colours	Papertape	Black Papertape PG	◆			✓			✓ <sup>8</sup>	